


100 (36.5%) ★



101 (42%) ★



102 (45%)



105 (55.1%)



106 (43%)



106-A (45%)



108 (42.0%)



109 (50.0%)



110 (61.0%)




115 (35%) ★

通称丸十(マルジュウ)鉄用



115-B (32%) ★

通称丸十(マルジュウ)304・アルミ用




116 (52%) ★



117 (41.1%)



118 (41.0%)




120 (25.5%)




121 (22.1%)

長孔 1.0×18




122 (25.3%)

長孔 1.2×15




123 (27.7%)

長孔 1.5×12.5



124 (31%)

長孔 2×15



125 (28%)

長孔 1.5×23




126 (38%)

長孔 4×14




127 (42%) ★

長孔 3×20 → 別注時 3×21



128 (40.8%)

長孔 2×7



129 (41%) ★

長孔 5×25




129-A (48.3%)

長孔 5×15



130-A (65.0%)

長孔 9×56




131 (52.0%)

長孔 6×13



131-B (69.5%)

長孔 7×26



132 (36.8%)

長孔 3×35



134 (26.3%)

斜長 1.2×15



135 (36.7%)

斜長 2×12




137 (22.2%)

斜長 1.5×17



139 (38.9%)

長孔 4×18



140 (31.5%)

長孔 5×20



142 (51.7%)

長孔 4×23



141 (21.9%)
長孔 6×30



143-A (24.4%)
斜長 1.5×12



144 (38.5%)



146 (49.6%)



148 (48.6%)



150 (36.1%)



153 (46.2%)



155 (56.0%)



157 (43.0%)



158 (43.8%)



158-A (59.3%)



158-B (37.5%)



159 (56.3%)



160 (39.0%)



162 (62.0%)




165 (45.0%)



166 (37.6%)



170 (51.1%)



171 (50.7%)




174 (45.3%)



176 (35.0%)




178 (40.3%)



179 (51.3%)



180 (56.5%)



182 (55.5%)



182-A (58.3%)



183 (45.6%)




184 (76.0%)



185 (63.3%)




186 (61.9%)




187 (25%)

□1.5 P3.0



188 (36%) ★

□3.0 P5.0




190 (41%)

□3.5 P5.5



191-A (39.0%)

□5.0 P8.0



191-B (39%)

□5.0 P8.0




192 (44%) ★

□6.0 P9.0



193 (37.8%)

□8.0 P13.0



195 (32.6%)

斜角6.0 P15.0




196-A (69.4%)


□10 P12




197 (32%)
□9.0 P16.0




198 (59%) ★
□10.0 P13.0




199 (64%)
□12.0 P15.0




200 (44.5%)
□12.0 P18.0



201 (64%)
□20.0 P25.0 (角丸)




202 (55%)
□20.0 P27.0



203 (32.0%)




203-A (63.5%)



203-B (56.9%)



203-C (37.7%)



203-D (40.4%)




203-E (37.7%)



203-F (55.0%) 薄板用



203-G (40.5%) 薄板用




205 (42.5%) 薄板用




208 (51.2%) 薄板用




209 (42.9%) 薄板用




210



211




220 (60.5%)




230 (50.0%)




250




260




270



280



290



300

